



Kodak

Scanners

Supplies & Consumables

Contents

Introduction	1
Quick Reference – lamps.....	2
General Consumables for ALL <i>Kodak</i> Scanners	3
<i>Kodak</i> i4000 Series Scanners.....	4
<i>Kodak</i> i5000 Series Scanners.....	6
<i>Kodak</i> i700 Series Scanners.....	8
<i>Kodak</i> i600 Series Scanners.....	10
<i>Kodak</i> <i>Ngenuity</i> 9000 Series Scanners	12
<i>Kodak</i> <i>Spectrum</i> Series Scanners	14
<i>Kodak</i> <i>Copiscan</i> 8000 Series Scanners	15
<i>Kodak</i> i1800 Series Scanners.....	16
Consumable Guidelines for i600/i700/i1800/i4000/i5000 Series Scanners	18
<i>Kodak</i> s1740 Capture System	19
<i>Kodak</i> i1200/i1300 Series Scanners/ <i>Kodak</i> i1200/i1300 Plus Series Scanners.....	20
<i>Kodak</i> i1400 Series Scanners.....	21
<i>Kodak</i> i2400/i2600/i2800 Scanners	22
<i>Kodak</i> <i>Sidekick</i> 1400u Scanner	23
<i>Kodak</i> <i>Sidekick</i> 1200 Scanner	24
<i>Kodak</i> <i>Trüper</i> 3210 and 3610 Scanners	25
<i>Kodak</i> <i>ScanMate</i> i1120 Scanner	26
<i>Kodak</i> <i>ScanMate</i> i920 Scanner	26
<i>Kodak</i> i30/i40 Scanners	26
<i>Kodak</i> i100 Series Scanners.....	27
<i>Kodak</i> i200 Series Scanners.....	28
<i>Kodak</i> s1220 Photo Scanning System.....	29
<i>Kodak</i> Picture Saver Scanning System / PS400/PS800.....	30
<i>Kodak</i> Picture Saver Scanning System PS450	31
<i>Kodak</i> Scan Station 500	32
Consumable Guidelines for Scan Station 500, s1220 Photo Scanner, PS400/ PS400 Scanners and i100/i200/i1200/i1300/i1400 Series Scanners.....	33
<i>Kodak</i> Scan Station 100	34
<i>Kodak</i> i800 Series Scanners.....	35
Consumable Guidelines for i800 Series Scanners	36
<i>Kodak</i> <i>Digital Science</i> Document Scanner 9520/9500	37
<i>Kodak</i> <i>Imagelink</i> Scanner/Microimager 990	39
<i>Kodak</i> <i>Digital Science</i> Document Scanner 7520/7500	41
<i>Kodak</i> <i>Digital Science</i> Color Scanner 4500	42
<i>Kodak</i> <i>Digital Science</i> Color Scanner 3590C	44
<i>Kodak</i> <i>Digital Science</i> 3500, 3510, 3520 Scanners.....	46
Consumable Guidelines for 3000/4000 Series Scanners	47
<i>Kodak</i> <i>Digital Science</i> Scanner 2500.....	48
<i>Kodak</i> <i>Digital Science</i> Scanner 1500.....	48
<i>Kodak</i> i50/i55/i60/i65/i80 Scanners.....	48

Supplies and Consumables

For **Kodak** Scanners

Kodak offers supplies and consumables for all *Kodak* Scanners. For optimal feeder performance and image quality, Kodak recommends using professional cleaning materials and consumable items, such as:

- Roller cleaning pads
- Transport cleaning sheets
- Staticide wipes
- Calibration targets
- Feeder and Separation rollers
- Lamps
- Ink cartridges
- Imaging guides



Usage figures of supplies and consumables are not guaranteed. Customer-operating environments, document type, the condition of the documents being scanned, and not following the recommended cleaning and replacement procedures, can cause the life of the consumables to vary.

This document contains catalog numbers and descriptions for supplies and consumables that are used with *Kodak* Scanners. The guidelines specified in this document are based upon Kodak's testing.

- **Calibration Target:** a calibration target will last longer if the recommended maintenance of the scanner is followed. Variables such as paper types (i.e., carbonless paper), dirty feed rollers, which can transfer debris on the target, etc. will shorten the usage of the calibration target. Always clean your scanner **before** calibrating.
- **Imaging Guides:** imaging guides may need to be replaced if you notice degrading image quality or if something happens to the white patch on the imaging guide.
 - Degrading image quality: (i.e., a consistent streak in most/all images that does not disappear after cleaning the imaging guides). Visually inspect the imaging guides to see if they are heavily scratched. If so, the imaging guides may need to be replaced.
 - White patch: White patches are not on all imaging guides. The i800, i1800, i700, i600, i1400, i200, i100, 4500, 3590C Scanners and 5000/7000 Series Scanners include a white patch. Visually inspect the white patch and look for signs of aging (discoloration of the patch). If the patch shows discoloration, replace the white patch or call Service.
- **Tires:** *Kodak* Scanners use replaceable tires that can feed a wide range of document types, sizes and thicknesses. Tire life and performance will vary based on the customer's document set, the frequency of cleaning the transport and tires, and following the recommended schedule for changing tires. You should change the tires if you notice an increase in multiple feeds, stoppages, or a decrease in feeder performance that is not resolved by following the cleaning procedures.

For further information go to the Kodak website: www.Kodak.com/go/docimaging.

The following chart provides a quick reference of the imaging lamps provided by Kodak and the scanners these consumables are used with. It is suggested that all lamps be replaced every 500 hours of operation or as necessary (i.e., as reported by the scanner, repeated image calibration failures, etc.)

NOTE: Only the scanners listed below have customer-replaceable lamps. Contact Kodak Service for all other scanners.







Lamps															
CAT No.	Description	500	3500	3520	3590C	4500	5000	7500	7520	9500	9520	990	i800		
816 2190	White Imaging Lamp – 16-inch											√			
912583*	White Imaging Lamp – 14-inch											√			
806 0824	Red Color Drop-Out – 14-inch											√	√	√	
813 7903	Blue Color Drop-Out 14"											√	√	√	
817 8626	Green Color Drop-Out – 14-inch											√	√	√	
813 0635	Blue Imaging Element 16"											√	√	√	
132 9812	Green Imaging Element											√	√	√	
126 0884	Red Imaging Element											√	√	√	
876 6545	White Imaging Lamp	√	√	√	√	√	√	√	√				√		
324511*	White Imaging Lamp											√	√	√	
175 9893	Red Imaging Color Drop-out											√	√	√	

* Order from Parts Services.

General Consumables for ALL Kodak Scanners

The consumables listed below are for use with all *Kodak* Scanners.










Please see individual scanners for consumables and accessories specific to your model.

CAT No.	Description
853 5981 	Kodak Digital Science Roller Cleaning Pads (24 per package) Usage: approximately one pad per day or more frequently if required.
169 0783 	Kodak Digital Science Transport Cleaning Sheets (50 sheets per package) Usage: 2 to 4 sheets per 8-hour shift/machine.
896 5519 	Staticide Wipes / for Kodak Scanners (6 boxes of 24) Usage: approximately 1 per day.
826 6488 	Brilliance Detailer Wipes / for Kodak Scanners Includes: 12 dual packets with a microfiber cloth Usage: these cleaning pads are an alternative to the Staticide wipes for cleaning and polishing of the scanner's image guides when scanning in color. Do not use this wipes on the feeding or transport rollers.
The following parts can be ordered from Parts Service	
TL 2253 	Round Cleaning Brush (Natural bristle) – 1 per package
TL 2156 	Flat Cleaning Brush (Natural bristle) – 1 per package





NOTE: Staticide Wipes, the Round Cleaning Brush and the Flat Cleaning Brush are not for use with the *Kodak* Picture Saver Scanning System / PS400/PS800; *Kodak* Picture Saver Scanning System PS450 or the *Kodak* s1220 Photo Scanning System.



Kodak i4000 Series Scanners


CAT No.	Description
832 7538  <i>Also available in Extra Large size</i> 838 7938 <i>Also available in Extra-Extra Large size</i> 146 2415	<p>Kodak Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p>
844 5280 	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 18 replacement tires for feed module, 10 replacement tires for separation rollers Usage: for feeding very thin documents.</p>
834 8054 	<p>Kodak Imaging Guide Set (without Enhanced Printer) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
871 4438 	<p>Kodak Imaging Guide Set (with Enhanced Printer) Includes: 1 upper/1 lower Usage: only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches.</p>
808 8239 	<p>Kodak Flippable White Background (without Enhanced Printer) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
800 0853 	<p>Kodak Flippable White Background (with Enhanced Printer) Includes: 1 upper/1 lower Usage: only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches</p>
840 5425 	<p>Ink Blotters (60 pads – 30 sets of 2) Usage: replace when there is a build-up of ink.</p>
818 3386 	<p>Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
159 6832 	<p>Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>

* Based on font size (small or large) being used.





CAT No.	Description
113 3842 	Enhanced Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.
809 6943 	Kodak Enhanced Printer Accessory for i4000 Series Scanners Included: 1 upper imaging guide, 1 upper flippable background accessory, 1 Enhanced Printer carrier, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.
179 6747 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background and 2-meter (6-ft.) cable Usage: for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.)
The following parts can be ordered from Parts Service	
5E4754 	26" Document Extender – 1 per package Usage: accommodates documents longer than 17 inches.
9E3216	<i>Also available in 30" length.</i>
9E5277	<i>Also available in 36" length.</i>



Kodak i5000 Series Scanners









CAT No.	Description
832 7538  Also available in Extra Large size 838 7938 Also available in Extra-Extra Large size 146 2415	<p>Kodak Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p>
844 5280 	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 18 replacement tires for feed module, 10 replacement tires for separation rollers Usage: for feeding very thin documents.</p>
834 8054 	<p>Kodak Imaging Guide Set (without Enhanced Printer) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
871 4438 	<p>Kodak Imaging Guide Set (with Enhanced Printer) Includes: 1 upper/1 lower Usage: only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches.</p>
808 8239 	<p>Kodak Flippable White Background (without Enhanced Printer) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
800 0853 	<p>Kodak Flippable White Background (with Enhanced Printer) Includes: 1 upper/1 lower Usage: only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches</p>
125 7633 	<p>Kodak Printer Ink Blotters (90 pads – 30 sets of 3) Usage: replace when there is a build-up of ink.</p>
818 3386 	<p>Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
159 6832 	<p>Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>

*Based on font size (small or large) being used.







CAT No.	Description
140 8756 	Kodak Enhanced Printer Accessory for i5000 Series Scanners Included: 1 upper imaging guide, 1 upper flippable background accessory, 1 Enhanced Printer carrier, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.
167 3953 	Manual Feed Shelf Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.
The following parts can be ordered from Parts Service	
9E5146 	Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.
5E4754 	26" Document Extender – 1 per package Usage: accommodates documents longer than 17 inches.
9E3216	<i>Also available in 30" length.</i>
9E5277	<i>Also available in 36" length.</i>



Kodak i700 Series Scanners











CAT No.	Description
 108 4755 <i>Also available in Extra Large size 842 6157</i> <i>Also available in Extra-Extra Large size 134 3680</i>	<p>Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p>
 896 5279	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 18 replacement tires for feed module, 10 replacement tires for separation rollers Usage: for feeding very thin documents.</p>
 197 6703	<p>Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
 127 1436	<p>Kodak Calibration Targets (5 per package) 12- x 12-inch Usage: see usage guidelines on page 1.</p>
 840 5425	<p>Document Printer: Ink Blotters (60 pads – 30 sets of 2) Usage: replace when there is a build-up of ink.</p>
 818 3386	<p>Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
 159 6832	<p>Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
 113 3842	<p>Enhanced Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.</p>

* Based on font size (small or large) being used.







CAT No.	Description
163 4948 	Kodak Manual Feeder / for i600/i700 Series Scanners Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.
894 9000 	Kodak White Background Accessory / for i600/i700/i1800 Series Scanners Includes: 2 White Background Strips Usage: reduces black background bleed-through while scanning producing whiter images.
801 4755 	Black Background / for i600/i700/i1800 Series Scanners – 2 per package Usage: replace as required because of damage and/or scratches.
The following parts can be ordered from Parts Service	
5E4754 	26" Document Extender – 1 per package Usage: accommodates documents longer than 17 inches.
9E3216	<i>Also available in 30" length.</i>
9E5277	<i>Also available in 36" length.</i>
3E9575 	Exit deflector – 1 per package Usage: improves paper stacking.
9E5746 	Short document tray Usage: allows scanning of smaller documents.



Kodak i600 Series Scanners





CAT No.	Description
108 4755  <i>Also available in Extra Large size 842 6157</i> <i>Also available in Extra-Extra Large size 134 3680</i>	Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see <i>the table on page 18 for a guideline on how often to change consumables.</i>
	Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see <i>the table on page 18 for a guideline on how often to change consumables.</i>
	Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see <i>the table on page 18 for a guideline on how often to change consumables.</i>
896 5279 	Kodak Feeder Kit for Ultra-Lightweight Paper / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 18 replacement tires for feed module, 10 replacement tires for separation rollers Usage: for feeding very thin documents.
197 6703 	Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
127 1436 	Kodak Calibration Targets (5 per package) 12- x 12-inch Usage: see <i>usage guidelines on page 1.</i>
135 5155 	Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge. NOTE: If you have the Enhanced Printer, order CAT No. 818 3386
840 5425 	Document Printer: Ink Blotter (60 pads – 30 sets of 2) Usage: replace when there is a build-up of ink.
826 7486 	Document Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged. <ul style="list-style-type: none"> • If you have the Enhanced Printer, order CAT No. 113 3842 • If you previously ordered CAT No. 838 4485 (Ink Cartridge Carrier), order this carrier now.
818 3386 	Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
113 3842 	Enhanced Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged. <ul style="list-style-type: none"> • If you have the Document Printer, order CAT No. 826 7486




* Based on font size (small or large) being used.

CAT No.	Description
163 4948 	Kodak Manual Feeder / for i600/i700 Series Scanners Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.
894 9000 	Kodak White Background Accessory / for i600/i700/i1800 Series Scanners Includes: 2 White Background Strips Usage: reduces black background bleed-through while scanning producing whiter images.
801 4755 	Black Background / for i600/i700/i1800 Series Scanners – 2 per package Usage: replace as required because of damage and/or scratches.
The following parts can be ordered from Parts Service	
5E4754 	26" Document Extender – 1 per package) Usage: accommodates documents longer than 17 inches.
9E3216	<i>Also available in 30" length.</i>
9E5277	<i>Also available in 36" length.</i>
3E9575 	Exit deflector – 1 per package Usage: improves paper stacking.
9E5746 	Short Document Tray Usage: allows scanning of smaller documents.



Kodak Ngenuity 9000 Series Scanners









CAT No.	Description
182 9779 	Small Roller Kit with Feeder Pre-separation Pad Includes: 1 separation roller, 18 pre-separation pads and 50 replacement tires Usage: has the potential to scan up to 3,500,000 documents.
121 1515 	Medium Roller Kit with Feeder Pre-separation Pad Includes: 5 separation rollers, 76 pre-separation pads and 200 replacement tires Usage: has the potential to scan up to 17,500,000 documents.
119 5460 	Large Roller Kit with Feeder Pre-separation Pad Includes: 10 separation rollers, 154 pre-separation pads and 400 replacement tires Usage: has the potential to scan up to 38,500,000 documents.
175 0462	Ultralight Feeder Kit – for use with feeder and pre-separation pad Includes: 1 light separation roller, 18-pre-separation pads and 50 replacement tires. Usage: for feeding very thin documents.
The following roller kits are for <i>Ngenuity</i> Scanners with the original feeder that does not have a pre-separation pad.	
176 6674 	Small Roller Kit Includes: 4 separator spacers, 2 separator rollers, 8 pick/driver tires Usage: has the potential to scan up to 1.2 million scans.
844 3491 	Medium Roller Kit Includes: 12 separator spacers, 6 separator rollers, 24 pick/driver tires Usage: has the potential to scan up to 3.6 million scans.
115 8153 	Large Roller Kit Includes: 24 separator spacers, 12 separator rollers, 48 pick/driver tires Usage: has the potential to scan up to 7.2 million scans.
179 7158 	Blower Brush Includes: 1 blower brush Usage: for cleaning scanners sensors.
199 8103 	Calibration Kit (includes Calibration Sheet 5K0449) Usage: see usage guidelines on page 1.
162 0640 	Imaging Guide Assembly Includes: 1 imaging guide assembly Usage: replace as required because of damage and/or scratches.
863 4230 	Front/Rear Imprinter Accessory Includes: 1 imprinter, 1 black ink cartridge Usage: front page (pre-scan) or back page (post-scan) imprinter prints the user specified alphanumeric string on the front side of documents.

CAT No.	Description
818 3386 	Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
802 9654 	Ngenuity Straight Pass-Through Exit Tray Includes: 1 straight pass-through adapter Usage: allows you to connect the exit tray to the straight pass-through door for better paper handling.

* Based on font height/width being used.










Spectrum Series Scanners

CAT No.	Description
156 9128 	Skimmer Assembly Kit Includes: 1 skimmer assembly Usage: has the potential to scan up to 600,000 documents.
870 4801 	Roller Assembly Includes: 1 roller assembly Usage: has the potential to scan up to 600,000 documents.
809 0300 	Separator Roller Kit Includes: 1 separator roller, 2 o-rings, 2 spacers Usage: approximately 6 months at 6,000 documents a day with proper daily maintenance.
128 9610 	Lamp Assembly Includes: 2 per package Usage: approximately 5000 hours.
147 3669 	Glass Transport Includes: 1 per package Usage: replace as required because of damage and/or scratches.
157 0415 	Camera Calibration Kit Includes: 10 per package and 1 test target Usage: calibrate as recommended in the User's Guide.
135 5155 	Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge.
165 1975 	Tech Wipes Includes: 10 per package Usage: as needed when cleaning the scanner.

* Based on font size (small or large) being used.












Copiscan 8000 Series Scanners

CAT No.	Description
156 9128 	Skimmer Assembly Kit Includes: 1 skimmer assembly Usage: has the potential to scan up to 600,000 documents.
870 4801 	Roller Assembly Includes: 1 roller assembly Usage: has the potential to scan up to 600,000 documents.
809 0300 	Separator Roller Kit Includes: 1 separator roller, 2 o-rings, 2 spacers Usage: approximately 6 months at 6,000 documents a day with proper daily maintenance.
811 2419 	Lamp Assembly Includes: 1 per package Usage: approximately 5000 hours.
829 4993 	Calibration Control Sheets Includes: 10 per package Usage: calibrate as recommended in the User's Guide.
147 3669 	Glass Transport Includes: 1 per package Usage: replace as required because of damage and/or scratches.
135 5155 	Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge.











* Based on font size (small or large) being used.



Kodak i1800 Series Scanners

CAT No.	Description
108 4755  Also available in Extra Large size 842 6157 Also available in Extra-Extra Large size 134 3680	Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.
	Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.
	Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.
896 5279 	Kodak Feeder Kit for Ultra-Lightweight Paper / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 18 replacement tires for feed module, 10 replacement tires for separation rollers Usage: for feeding very thin documents.
197 6703 	Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
127 1436 	Kodak Calibration Targets (5 per package) 12- x 12-inch Usage: see usage guidelines on page 1.
822 1376 	High Resolution Printer: Black Ink Cartridge (6 cartridges) Usage: approximately 2,000,000 to 5,000,000 characters per ink cartridge. For specific details see the table on page 40.
145 6532 	High Resolution Printer: Red Ink Cartridge (6 cartridges) Usage: approximately 2,000,000 to 5,000,000 characters per ink cartridge depending on the <i>Contrast</i> setting (from 100 to 12 respectively). For specific details see the table on page 40.
877 6254 	High Resolution Printer Maintenance Kit Includes: 2 ink blotter trays, 50 cloth wipes Usage: replace when there is a build-up of ink.
818 3386 	Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.

* Based on font size (small or large) being used.

CAT No.	Description
125 7633 	Kodak Printer Ink Blotters, Front Side / for i1800 Series Scanners (90 pads – 30 sets of 3) Usage: replace when there is a build-up of ink.
114 1472 	Kodak Printer Ink Blotters, Rear Side / for i1800 Series Scanners (60 per package) Usage: replace when there is a build-up of ink.
815 0237 	Kodak High Resolution Printer Accessory Includes: all components necessary for installing the High Resolution Printer Accessory in the <i>Kodak</i> i1800 Series Scanner; as well as 1 black ink cartridge, 50 cleaning swabs and installation instructions. Usage: provides an effective way to apply information to the scanned document and use document management systems such as batching and time-stamping.
874 1894 	Kodak Manual Feeder / for i1800 Series Scanners Includes: 1 feed shelf, 2 detachable side guides, and instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.
894 9000 	Kodak White Background Accessory Includes: 2 White Background Strips Usage: reduces black background bleed-through while scanning producing whiter images.
801 4755 	Black Background / for i600/i700/i1800 Series Scanners – 2 per package Usage: replace as required because of damage and/or scratches.
The following parts can be ordered from Parts Services	
9E5146 	Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.
5E4754 	26" Document Extender Includes: 1 per box Usage: accommodates documents longer than 17 inches.
9E3216	<i>Also available in 30" length.</i>
9E5277	<i>Also available in 36" length.</i>
3E9575 	Exit deflector Includes: 1 per box Usage: improves paper stacking.
9E5746 	Short document tray Usage: allows scanning of smaller documents.

Module/Separation Roller Guidelines for the i600/i700/i1800/i4000/i5000 Series Scanners Consumable Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged during replacement.









- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 500,000 pages; results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change each time you change the feed module, separation roller or change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller (unless using the *Kodak* Feeder Kit for Ultra-Lightweight Paper).

Description	Feeder Consumables Kit	Extra Large Feeder Consumables Kit	Extra Extra Large Feeder Consumables Kit	Feeder Kit for Ultra-lightweight Paper
	CAT No. 108 4755 / 832 7538	CAT No. 842 6157 / 838 7938	CAT No.134 3680/ 146 2415	CAT No. 896 5279/ 844 5280
Feed Modules (4 tires)	1	5	10	1
Separation Rollers (2 tires)	1	5	10	1
Pre-Separation Pads	18	76	154	4
Replacement Tires	50	200	400	N/A
Replacement Tires for Feed Module	N/A	N/A	N/A	17
Replacement Tires for Separation Roller	N/A	N/A	N/A	10
Expected scans / kit	3,500,000	17,500,000	38,500,000	2,400,000








Kodak s1740 Capture System

CAT No.	Description
834 1786 	Cleaner Stick / for <i>Kodak s1700 Capture System</i> Includes: 1 stick Usage: Replace when the cleaner stick is worn.
848 8504 	Feeder Wheel / for <i>Kodak s1700 Capture System</i> Includes: 1 feeder wheel Usage: Replace when wheel is worn or the increase in multi-feeds occurs.
869 8854 	Felt Belt Separator, Upper / for <i>Kodak s1700 Capture System</i> Includes: 1 upper belt Usage: Replace when wheel is worn or the increase in multi-feeds occurs.
882 7677 	Felt Belt Separator, Lower / for <i>Kodak s1700 Capture System</i> Includes: 1 lower belt Usage: Replace when wheel is worn or the increase in multi-feeds occurs.
155 2637 	Felt Blotter / for <i>Kodak s1700 Capture System</i> Includes: 2 felt blotters Usage: Replace when blotter starts to get saturated with ink.
865 6159 	Ink Cartridge / for <i>Kodak s1700 Capture System</i> Includes: 1 ink cartridge Usage: Replace when print quality starts to become light and unreadable.
868 3724 	Optics Cleaner / for <i>Kodak s1700 Capture System</i> Includes: 1 optics cleaner Usage: Replace when optics cleaner becomes dirty and shows signs of wear.
188 6902 	Ribbon Cartridge MICR / for <i>Kodak s1700 Capture System</i> Includes: 1 ribbon cartridge Usage: Approximately 80,000 characters.

NOTE: Printer ink will start drying out after a certain amount of time on the shelf; therefore, it is not recommended that you “over-order” ink cartridges/ribbon cartridges.












Kodak i1200 and i1300 Series Scanners
Kodak i1200 and i1300 Plus Series Scanners

CAT No.	Description
148 4864 	<p>Kodak Feed Rollers and Separation Pads for i1200/i1300/SS5XX/i2000 Scanners Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i></p>
173 6115 	<p>Kodak Separation Module / for i1200/i1300 Series Scanners Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.</p>
826 9607 	<p>Kodak Feed Module / for i1200/i1300 Series Scanners Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.</p>
179 6747 	<p>Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background and 2-meter (6-ft.) cable Usage: for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).</p>
892 7717 	<p>Kodak White Background Accessory for the Kodak i1200/i1300 Scanner Includes: 1 white background plate. Usage: reduces black background bleed-through, thus producing whiter images. This is an option for the front scanned images only on the <i>Kodak i1200 and i1300 Scanners.</i></p>








Kodak i1400 Series Scanners

CAT No.	Description
124 1066 	Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
<i>Also available in Extra Large size</i> 821 5808	Kodak Extra Large Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 5 feed modules, 5 separation modules, 10 pre-separation pads, 120 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
197 8253 	Kodak Imaging Guide Set for i1400 Series Scanners Includes: 1 upper guide, 1 lower guide Usage: replace when damaged or scratched.
135 5155 	Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge. NOTE: If you have the Enhanced Printer, order CAT No. 818 3386.
840 5425 	Document Printer: Ink Blotters (60 per package) Usage: replace when there is a build-up of ink.
826 7486 	Document Printer: Ink Cartridge Carrier Usage: purchase this item if you want to use the print function on the i1420 or i1440 Scanner. NOTE: If you have the Enhanced Printer, order CAT No. 113 3842.
818 3386 	Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge. * Based on font size (small or large) being used.
159 6832 	Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge. * Based on font size (small or large) being used.
113 3842 	Enhanced Printer: Ink Cartridge Carrier Usage: purchase this item if you want to use the print function on the i1420 or i1440 Scanner. NOTE: If you have the Document Printer, order CAT No. 826 7486.
179 6747 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background and 2-meter (6-ft.) cable Usage: for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).










Kodak i2400/i2600/i2800 Scanners

CAT No.	Description
148 4864 	<p>Kodak Feed Rollers and Separation Pads for i1200/i1300/SS5XX/i2000 Scanners Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i></p>
173 6115 	<p>Kodak Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.</p>
826 9607 	<p>Kodak Feed Module Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.</p>
892 7717 	<p>Kodak White Background Accessory Includes: 1 white background plate. Usage: reduces black background bleed-through, thus producing whiter images. This is an option for the front scanned images only.</p>
119 9470 	<p>Kodak Legal Flatbed Accessory Includes: Legal flatbed with white background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: legal size 215.9 mm x 355.6 mm (8.5 x 14 in.).</p>
118 2179 	<p>Kodak Legal size White Cover Includes: 1 white cover Usage: replace when scratched or worn.</p>
818 2271 	<p>Kodak A3 Flatbed Accessory for i2000 Series Scanners Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply and Y cable Usage: for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).</p>
The following parts can be ordered from Parts Service	
5K0212 	<p>Adapter Kit Includes: 2-meter (6-ft.) USB cable and power supply and Y cable Usage: used to connect an existing Kodak A3 Flatbed Accessory or Kodak A4 Flatbed Accessory to a Kodak i2400/i2600/i2800 Scanner.</p>







Kodak Sidekick 1400u Scanner

CAT No.	Description
107 0820 	Roller Exchange Kit – Black Includes: black front and back sensor rollers, 1 feed roller module, 1 separation roller module Usage: this kit has the potential to scan 300,000 documents.
128 4124 	Roller Exchange Kit – White Includes: white front and back sensor rollers, 1 feed roller module, 1 separation roller module Usage: for scanning translucent documents, the White Roller Exchange Kit will reduce black background bleed-through, producing whiter images.
179 7158 	Blower Brush Includes: 1 blower brush Usage: for cleaning scanners sensors.
103 3893 	NCR Residue Cleaning Pad Includes: 25 cleaning pads Usage: for cleaning rollers that have a buildup of ink residue.
818 3386 	Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
887 0958 	Imprinter Accessory Includes: 1 imprinter, 1 black ink cartridge, 1 printer label Usage: front page (pre-scan) imprinter prints the user-specified alphanumeric string on the front side of documents.

- Based on font height/width being used.












Kodak Sidekick 1200 Scanner

CAT No.	Description
107 0820 	Roller Exchange Kit – Black Includes: black front and back sensor rollers, 1 feed roller module, 1 separation roller module Usage: this kit has the potential to scan 300,000 documents.
128 4124 	Roller Exchange Kit – White Includes: white front and back sensor rollers, 1 feed roller module, 1 separation roller module Usage: for scanning translucent documents, the White Roller Exchange Kit will reduce black background bleed-through, producing whiter images.
179 7158 	Blower Brush Includes: 1 blower brush Usage: for cleaning scanners sensors.
103 3893 	NCR Residue Cleaning Pad Includes: 25 cleaning pads Usage: for cleaning rollers that have a buildup of ink residue.






Kodak Trüper 3210 and 3610 Scanners

CAT No.	Description
846 0321 	Roller Exchange Kit Includes: 1 feed roller module, 1 separation roller module Usage: this kit has the potential to scan up to 300,000 documents.
179 7158 	Blower Brush Includes: 1 blower brush Usage: for cleaning scanners sensors.
153 5376 	Shading Paper Includes: 10 sheets Usage: used for calibrating the scanner.
103 3893 	NCR Residue Cleaning Pad Includes: 25 cleaning pads Usage: for cleaning rollers that have a buildup of ink residue on rollers.
818 3386 	Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
896 1955 	Imprinter Accessory Includes: 1 imprinter, 1 black ink cartridge Usage: front page (pre-scan) imprinter prints the user-specified alphanumeric string on the front side of documents.
124 4847 	Memory Upgrade Kit (512 MB) Usage: for scanning job that may require additional memory depending on variables such as the size of the documents you are scanning and the desired image resolution.
109 2436 	Long Document Paper Weight (1 paper weight) Usage: aid in scanning extremely long documents. The paper weight improves long document handling by applying a small and uniform amount of pressure which allows documents to run smoothly through the scanner transport.

* Based on font height/width being used.





Kodak ScanMate i1120 Scanner

CAT No.	Description
894 6097 	Kodak i1120 Pre-separation Pad Includes: 4 pre-separation pads Usage: the pre-separation pad has the potential to scan up to 20,000-50,000 pages.
122 6034 	Kodak i1120 Feed Roller Assembly Includes: 1 per package Usage: the roller has the potential to scan up to 100,000-200,000 pages.
824 5862 	Kodak i1120 Scanner Cleaning Swabs Includes: 6 swabs per package Usage: as needed when cleaning the scanner.




Kodak ScanMate i920 Scanner

CAT No.	Description
846 7839 	Kodak Feed Module Assembly Includes: one feed module Usage: the feed module has the potential to scan up to 20,000 pages.
177 5246 	Kodak Separation Module Assembly Includes: one separation module Usage: the separation module has the potential to scan up to 100,000 pages.





Kodak i30/40 Scanners

CAT No.	Description
174 7849 	Kodak Feeder Module Includes: 4 feed modules Usage: this module has the potential to scan up to 20,000 pages.









Kodak i100 Series Scanners

CAT No.	Description
124 1066  <i>Also available in Extra Large size</i> 821 5808	Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
120 0278 	Kodak Imaging Guide Set Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
829 3599	Kodak White Background Accessory / for i100 Series Scanners Includes: 1 white background strip Usage: reduces black background bleed-through while scanning producing white images.










Kodak i200 Series Scanners

CAT No.	Description
124 1066  <i>Also available in Extra Large size</i> 821 5808	Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
	Kodak Extra Large Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 5 feed modules, 5 separation modules, 10 pre-separation pads, 120 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
120 0278 	Kodak Imaging Guide Set (for the Kodak i280 Scanner only) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
131 7304 	Kodak Calibration Target (5 targets per package) 11.7- x 11.7-inch Usage: see usage guidelines on page 1.
135 5155 	Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge.
840 5425 	Document Printer: Ink Blotters (60 per package) Usage: replace when there is a built-up of ink.
826 7486 	Document Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.

* Based on font size (small or large) being used



Kodak s1220 Photo Scanning System

CAT No.	Description
148 4864 	Kodak Feed Rollers and Separation Pads for i1200/i1300/SS5XX/i2000 Scanners Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i>
173 6115 	Kodak Separation Module / for i1200/i1300 Series Scanners Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 photos.
826 9607 	Kodak Feed Module / for i1200/i1300 Series Scanners Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
826 6488 	Brilliance Detailer Wipes / for Kodak Scanners (12 dual packets with microfiber cloth) Usage: variable; depending on your scanner cleaning routine.
853 5981 	Kodak Digital Science Roller Cleaning Pads (24 per package) Usage: approximately one pad per day or more frequently if required.
169 0783 	Kodak Digital Science Transport Cleaning Sheets (50 sheets per package) Usage: 2 to 4 sheets per 8-hour shift/machine.
179 6747 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background and 2-meter (6-ft.) cable Usage: for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).



Kodak Picture Saver Scanning System / PS400/PS800

CAT No.	Description
148 4864 	Kodak Feed Rollers and Separation Pads for i1200/i1300/SS5XX/i2000 Scanners Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i>
169 5097 	Kodak Gentle Photo Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 photos.
196 0426 	Kodak Standard Separation Module / for Kodak Picture Saver Scanning System PS400/800 Series Includes: 1 separation module Usage: this module is used for document scanning has the potential to scan up to 250,000 pages.
826 9607 	Kodak Feed Module / for i1200/i1300 Series Scanners Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
853 5981 	Kodak Digital Science Roller Cleaning Pads (24 per package) Usage: approximately one pad per day or more frequently if required.
169 0783 	Kodak Digital Science Transport Cleaning Sheets (50 sheets per package) Usage: 2 to 4 sheets per 8-hour shift/machine.
826 6488 	Brilliance Detailer Wipes / for Kodak Scanners (12 dual packets with microfiber cloth) Usage: variable; depending on your scanner cleaning routine.
187 6663 	Kodak Picture CD (50 CD beehive) Usage: stores your digital images. For use with all Kodak Picture Maker G4 and G3 systems.
179 6747 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background and 2-meter (6-ft.) cable Usage: for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).










Kodak Picture Saver Scanning System PS450

CAT No.	Description
148 4864 	Kodak Feed Rollers and Separation Pads for i1200/i1300/SS5XX/i2000 Scanners Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module..</i>
169 5097 	Kodak Gentle Photo Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 photos.
196 0426 	Kodak Standard Separation Module / for Kodak Picture Saver Scanning System PS400/800 Series Includes: 1 separation module Usage: this module is used for document scanning has the potential to scan up to 250,000 pages.
826 9607 	Kodak Feed Module / for i1200/i1300 Series Scanners Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
853 5981 	Kodak Digital Science Roller Cleaning Pads (24 per package) Usage: approximately one pad per day or more frequently if required.
169 0783 	Kodak Digital Science Transport Cleaning Sheets (50 sheets per package) Usage: 2 to 4 sheets per 8-hour shift/machine.
826 6488 	Brilliance Detailer Wipes / for Kodak Scanners (12 dual packets with microfiber cloth) Usage: variable; depending on your scanner cleaning routine.
187 6663 	Kodak Picture CD (50 CD beehive) Usage: stores your digital images. For use with all Kodak Picture Maker G4 and G3 systems.
179 6747 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background and 2-meter (6-ft.) cable Usage: for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).



Kodak Scan Station 500

CAT No.	Description
148 4864 	Kodak Feed Rollers and Separation Pads for i1200/i1300/SS5XX/i2000 Scanners Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i>
173 6115 	Kodak Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.
826 9607 	Kodak Feed Module Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
868 3724 	Optics Cleaner Includes: 1 optics cleaner Usage: Replace when optics cleaner becomes dirty and shows signs of wear.
125 1842 	Kodak Scan Station Portable USB Drive, 2 GB Includes: 5 per package
186 0949 	USB Replacement Connector Includes: 1 connector Usage: replace when worn or damaged.
179 6747 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background and 2-meter (6-ft.) cable Usage: for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).

Feed Module and Separator Module Guidelines for the Scan Station 500, s1220 Photo Scanner, PS400/PS800/PS450 Scanners, i2400, i2600, i2800 Scanners and the i100 / i200 / i1200 / i1300 / i1400 Series Scanners Consumables Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires.




- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 125,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** it is recommended that you install a new feed module and separation roller approximately every 4th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change every other time you change the feed module, separation roller or change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller.

Description	Kodak Feed Rollers	Feeder Consumables Kit	Extra Large Feeder Consumables Kit
	CAT No. 148 4864	CAT No. 124 1066	CAT No. 821 5808
Feed Modules (4 tires)		1	5
Separation Rollers (2 tires)		1	5
Pre-Separation Pads	2	2	10
Replacement Tires	12	24	120
Expected scans / kit	250,000	500,000	2,500,000












Kodak Scan Station 100






CAT No.	Description
174 7849 	Kodak Feeder Module Includes: 4 feed modules Usage: this module has the potential to scan up to 20,000 pages.
125 1842 	Kodak Scan Station Portable USB Drive, 2 GB Includes: 5 per package
844 5306 	USB Replacement Connector Includes: 1 connector Usage: replace when worn or damaged.



Kodak i800 Series Scanners

CAT No.	Description
 Also available in Extra Large size 135 4075	<p>Kodak Feeder Consumables Kit / for i800 Series Scanners Includes: 2 feed modules, 2 separation rollers, 18 pre-separation pads, 100 replacement tires (these replacement tires are for use on the feed module and separation roller) Usage: see the table on page 36 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 76 pre-separation pads, 400 replacement tires (these replacement tires are for use on the feed module and separation roller) Usage: see the table on page 36 for a guideline on how often to change consumables.</p>
	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i800 Series Scanners Includes: 2 feed modules, 2 separation rollers, 8 pre-separation pads, 2 deflectors 34 replacement tires for feed module, 18 replacement tires for separation roller Usage: for feeding very thin documents.</p>
	<p>Kodak Digital Science White Imaging Lamp (1 per package) – four lamps are required Usage: approximately 500 hours per lamp. It is recommended that all four lamps be changed at the same time.</p>
	<p>Kodak Imaging Guide Set / for i800 Series Scanners Includes: 1 upper/1 lower (plastic guides) Usage: replace as required because of damage and/or scratches. NOTE: Before ordering, verify whether your imaging guides are plastic or glass. If you have a glass lower guide, order guides from Parts Service. See Part No. 9E4442 on the next page.</p>
	<p>Kodak Calibration Target / for i800 Series Scanners (50 per package) 11- x 12-inch Usage: see usage guidelines on page 1.</p>
	<p>Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge.</p>
	<p>Document Printer: Ink Blotters (60 per package) Usage: replace when there is a build-up of ink.</p>
	<p>Document Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged. NOTE: If you have the Enhanced Printer in the i800 Scanner, order Part No. 9E5146 (see next page).</p>
	<p>Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>

* Based on font size (small or large) being used.

CAT No.	Description
159 6832 	Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
The following parts can be ordered from Parts Service	
9E5146 	Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged. NOTE: If you have the standard printer for the i800 Scanner, order CAT No. 826 7486; see the previous page.
5E4548 	Long-handled Brush Usage: use when cleaning the lower camera glass in an i800 Series Scanner.
9E4442 	Lower Glass Guide Usage: replace when damaged or scratched. NOTE: Before ordering, verify whether your imaging guides are glass or plastic . If you have plastic guides, order guides using CAT No. 156 4418; see the previous page.
9E4453 	Smooth Tires for Feed Module and Separator Roller (38/bag)

* Based on font size (small or large) being used.

Feed Module and Separation Roller Guidelines for the i800 Series Scanners Consumable Kits











The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged when replacing tires.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 250,000 pages; results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the feed module, separation roller or tires.






Description	<i>Kodak Feeder Consumables Kit</i>	<i>Kodak Extra Large Feeder Consumables Kit</i>	<i>Kodak Feeder Kit for Ultra-lightweight Paper</i>
	CAT No. 838 9181	CAT No. 135 4075	CAT No. 880 3041
Feed Modules (4 tires)	2	10	2
Separation Rollers (2 tires)	2	10	2
Pre-Separation Pads	18	76	8
Replacement Tires	100	400	
Replacement Tires for Feed Module			34
Replacement Tires for Separation Roller			18
Deflectors			2
Expected scans / kit	3,500,000	17,500,000	2,000,000



Kodak Digital Science Document Scanner 9520/9500

CAT No.	Description
834 6538 	Kodak Digital Science Automatic Feeder Replenishment Kit / for Series 5000/7000/9000 Scanners Includes: 2 feed modules, 2 separation rollers, 10 replacement strips, 50 replacement tires Usage: nominal tire life is approximately 250,000 documents depending on paper types, environment and scanner cleanliness.
165 8483 	Kodak Digital Science Super12 Maintenance Kit / for 9520/9500 Includes: 1 printer gasket, 1 ink tray, 50 cloth wipes, 1 instruction sheet Usage: replace every 6 to 12 months. <i>Printer Gasket and Instruction Sheet not shown in illustration.</i>
175 9893 	Red Imaging Color Drop-Out Element (2 lamps per package) Usage: approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
104 9675 	Green Imaging Color Drop-Out Element (2 lamps per package) Usage: approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
149 1984 	Kodak Reliant Endorser Ink Roller (Red) – 1 per container
142 0272 	Kodak Reliant Endorser Ink Roller (Black) – 1 per container
127 1436 	Kodak Calibration Target (5 targets per package) 12- x 12-inch Usage: see usage guidelines on page 1.
822 1376 	Kodak Digital Science Super12 Black Ink Cartridge (6 cartridges per box) Usage: see the next page*.
145 6532 	Kodak Digital Science Super12 Red Ink Cartridge (6 cartridges per box) Usage: see the next page*.
135 5155 	Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000† characters per ink cartridge

The following part can be ordered from Parts Service

<p>324511</p> 	<p>White Imaging Lamp (1 per package) – two lamps required for simplex; four lamps required for duplex. Usage: approximately 500 hours per lamp. It is recommended that both lamps be changed at the same time.</p>
<p>942000</p> 	<p>Kodak Lower Imaging Guide / for Series 900/9000 Scanners (1 per package) Usage: replace as required because of damage and/or scratches.</p>
<p>964365</p> 	<p>Kodak Upper Imaging Guide / for Series 900/9000 Scanners (1 per package) Usage: replace as required because of damage and/or scratches.</p>
<p>984370</p> 	<p>Document Printer: Printer Ink Blotters (6 per package) Usage: replace when there is a build up of ink.</p>
<p>942890</p> 	<p>Kodak Series 9000 Scanners Air Filter (1 air filter) Usage: replace at least every 6 months.</p>










* Super12 Printer: the estimates below are approximate expected usage rates, and are not guaranteed. The actual number may differ significantly due to many variables associated with the print function.

Contrast Setting	Expected Number of Characters (Approx.)
100	2,236,000
87	2,408,000
75	2,580,000
67	3,096,000
50	3,440,000
37	4,558,000
25	4,644,000
12	5,160,000





† Based on font size (small or large) being used.



Kodak Imagemaster Scanner/Microimager 990









CAT No.	Description
816 2190 	Kodak Imagemaster White Imaging Lamp (16-inch) (1 per package) Usage: approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.
806 0824 	Red Color Drop-Out Element (14-inch) (1 lamp per package) Usage: approximately 300 hours per lamp. If you have documents with red text or a red background, use red dropout to remove any red color from the scanned documents.
813 7903 	Blue Color Drop-Out Element (14-inch) (1 lamp per package) Usage: approximately 300 hours per lamp. If you have documents with blue text or a blue background, use blue dropout to remove any blue color from the scanned documents.
817 8626 	Green Color Drop-Out Element (14-inch) (1 lamp per package) Usage: approximately 300 hours per lamp. If you have documents with green text or a green background, use green dropout to remove any green color from the scanned documents.
813 0635 	Blue Imaging Element for 990 (16-inch) (1 lamp per package) Usage: approximately 300 hours per lamp. If you have documents with blue text or a blue background, use blue dropout to remove any blue color from the scanned documents.
127 1436 	Kodak Calibration Target (5 targets per package) 12- x 12-inch Usage: see usage guidelines on page 1.
135 5155 	Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge
822 1376 	Kodak Digital Science Super12 Black Ink Cartridge (6 cartridges per box) Usage: see description on page 38.
145 6532 	Kodak Digital Science Super12 Red Ink Cartridge (6 cartridges per box) Usage: see description on page 38.

* Based on font size (small or large) being used.

CAT No.	Description
165 8483 	Kodak Digital Science Super12 Maintenance Kit Includes: 1 printer gasket, 1 ink tray, 50 cloth wipes, 1 instruction sheet Usage: replace every 6 to 12 months. <i>Printer gasket and instruction sheet not shown in illustration.</i>
149 1984 	Kodak Reliant Endorser Ink Roller (Red) – 1 per container
142 0272 	Kodak Reliant Endorser Ink Roller (Black) – 1 per container
The following parts can be ordered from Parts Service	
324511 	White Imaging Lamp (1 per package) – two lamps required for simplex; four lamps required for duplex Usage: approximately 500 hours per lamp. It is recommended that both lamps be changed at the same time.











Kodak Digital Science Document Scanner 7520/7500

CAT No.	Description
834 6538 	Kodak Digital Science Automatic Feeder Replenishment Kit / for Series 5000/7000/9000 Scanners Includes: 2 feed modules, 2 separation rollers, 10 replacement strips, 50 replacement tires Usage: nominal tire life is approximately 250,000 documents depending on paper types, environment and scanner cleanliness.
876 6545 	Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners (1 per package) – one lamp required for simplex; two lamps required for duplex Usage: approximately 500 hours. It is recommended that both lamps be changed at the same time.
132 9812 	Green Imaging Element for 3000/5000/7000 (2 lamps per package) Usage: approximately 300 hours per lamp.
126 0884 	Red Imaging Element for 3000/5000/7000 (2 lamps per package) Usage: approximately 300 hours per lamp.
127 1436 	Kodak Calibration Target (5 targets per package) 12- x 12-inch Usage: see usage guidelines on page 1.
135 5155 	Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge.
The following parts can be ordered from Parts Service	
986448 	Front Imaging Guide for / 7000/5000/500 (1 per package) Usage: replace as required because of damage and/or scratches.
986449 	Rear Imaging Guide for / 7000/5000/500 (1 per package) Usage: replace as required because of damage and/or scratches.



*Based on font size (large or small) being used.



Kodak Digital Science Color Scanner 4500










CAT No.	Description
108 5992  <i>Also available in Extra Large size</i> 106 8493	<p>Kodak Digital Science Feed Module Kit 250 / for Series 3000/4000 Includes: 1 feed module with one set (4) of tires installed, 18 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. <i>See the table on page 47 for a guideline on how often to change consumables.</i></p> <p>Kodak Extra Large Feed Module Kit 250 / for Series 3000/4000 Includes: 5 feed modules with one set (4) of tires installed, 90 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. <i>See the table on page 47 for a guideline on how often to change consumables.</i></p>
828 0604  <i>Also available in Extra Large size</i> 139 7785	<p>Kodak Digital Science Separator Roller Kit / for Series 3000/4000 Scanners Includes: 1 separator roller with 2 tires installed, 10 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. <i>See the table on page 47 for a guideline on how often to change consumables.</i></p> <p>Kodak Extra Large Separator Roller Kit / for Series 3000/4000 Scanners Includes: 5 separator rollers with 2 tires installed, 50 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. <i>See the table on page 47 for a guideline on how often to change consumables.</i></p>
158 8052 	<p>Kodak Separator Roller, Type 2 / for Series 3000/4000 Scanners (1 per package) Usage: replacement at approximately 300,000 to 400,000 pages. This optional roller can be used instead of the Separation Roller Kit (CAT No. 828 0604) for optimizing scanner performance based on the type of documents being scanned.</p>
854 6012 	<p>Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series Includes: 1 separator roller kit, 2 white lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg) Usage: <i>see individual items for usage.</i></p>
876 6545 	<p>Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners (1 per package) – one lamp required for simplex; two lamps required for duplex Usage: approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.</p>
825 0698 	<p>Kodak Digital Science Image Guide / for Scanner 4000 Series (1 per package) Usage: replace as required because of damage and/or scratches.</p>
127 1436 	<p>Kodak Calibration Target (5 targets per package) 12- x 12-inch Usage: <i>see usage guidelines on page 1.</i></p>
135 5155 	<p>Document Printer: Ink Cartridges / Black (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge For use with the <i>Kodak Digital Science Color Scanner 4500DP</i> only.</p>



* Based on font size (small or large) being used.

CAT No.	Description
839 4306 	<p>Document Printer: Ink Blotters Includes: 24 blotters per package (12 small/12 large) – 2 each required Usage: replace when there is a build-up of ink.</p>
826 7486 	<p>Document Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.</p> <ul style="list-style-type: none"> • If you previously ordered CAT No. 838 4485 (Ink Cartridge Carrier), order this carrier now.












Kodak Digital Science Color Scanner 3590C

CAT No.	Description
 108 5992 <i>Also available in Extra Large size</i> 106 8493	<p>Kodak Digital Science Feed Module Kit 250 / for Series 3000/4000 Includes: 1 feed module with one set (4) of tires installed, 18 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. <i>See the table on page 47 for a guideline on how often to change consumables.</i></p> <hr/> <p>Kodak Extra Large Feed Module Kit 250 / for Series 3000/4000 Includes: 5 feed modules with one set (4) of tires installed, 90 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. <i>See the table on page 47 for a guideline on how often to change consumables.</i></p>
 828 0604 <i>Also available in Extra Large size</i> 139 7785	<p>Kodak Digital Science Separator Roller Kit / for Series 3000/4000 Scanners Includes: 1 separator roller with 2 tires installed, 10 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. <i>See the table on page 47 for a guideline on how often to change consumables.</i></p> <hr/> <p>Kodak Extra Large Separator Roller Kit / for Series 3000/4000 Scanners Includes: 5 separator rollers with 2 tires installed, 50 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. <i>See the table on page 47 for a guideline on how often to change consumables.</i></p>
 153 7240	<p>Kodak Digital Science Feed Module 150 / for Scanner 3500 Includes: 1 feed module with one set of tires (4) installed Usage: replacement at approximately 600,000 to 1,000,000 pages.</p>
 158 8052	<p>Kodak Separator Roller, Type 2 / for Series 3000/4000 Scanners (1 per package) Usage: replacement at approximately 300,000 to 400,000 pages. This optional roller can be used instead of the Separation Roller Kit (CAT No. 828 0604) for optimizing scanner performance based on the type of documents being scanned.</p>
 854 6012	<p>Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series Includes: 1 separator roller kit, 2 white lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. roller cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg) Usage: <i>see individual items for usage.</i></p>
 876 6545	<p>Kodak Digital Science White Imaging Lamp / for Series 500/1800/3000/4000/5000/7000 Scanners (1 per package) – two lamps are required</p>
 132 9812	<p>Green Imaging Element for 7000/5000/3000 (2 lamps per package) Usage: approximately 300 hours.</p>
 126 0884	<p>Red Imaging Element for 7000/5000/3000 (2 lamps per package) Usage: approximately 300 hours.</p>
 156 9664	<p>Kodak Digital Science Front Imaging Guide / for Scanner 3590C Includes: 1 per package Usage: replace as required because of damage and/or scratches.</p>

CAT No	Description
806 6318 	Kodak Digital Science Rear Imaging Guide / for Scanner 3000 Series Includes: (1 per package) Usage: replace as required because of damage and/or scratches.
127 1436 	Kodak Calibration Target (5 targets per package) 12- x 12-inch Usage: <i>see usage guidelines on page 1.</i>



Kodak Digital Science 3500, 3510, 3520 Scanners

CAT No.	Description
108 5992  Also available in Extra Large size 106 8493	<p>Kodak Digital Science Feed Module Kit 250 / for Series 3000/4000 Includes: 1 feed module with one set (4) of tires installed, 18 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. See the table on page 47 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feed Module Kit 250 / for Series 3000/4000 Includes: 5 feed modules with one set (4) of tires installed, 90 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. See the table on page 47 for a guideline on how often to change consumables.</p>
828 0604 	<p>Kodak Digital Science Separator Roller Kit / for Series 3000/4000 Scanners Includes: 1 separator roller with 2 tires installed, 10 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. See the table on page 47 for a guideline on how often to change consumables.</p>
Also available in Extra Large size 139 7785	<p>Kodak Extra Large Separator Roller Kit / for Series 3000/4000 Scanners Includes: 5 separator rollers with 2 tires installed, 50 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. See the table on page 47 for a guideline on how often to change consumables.</p>
158 8052 	<p>Kodak Separator Roller, Type 2 / for Series 3000/4000 Scanners (1 per package) Usage: replacement at approximately 300,000 to 400,000 pages. This optional roller can be used instead of the Separation Roller Kit (CAT No. 828 0604) for optimizing scanner performance based on the type of documents being scanned.</p>
854 6012 	<p>Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series Includes: 1 separator roller kit, 2 white imaging lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg) Usage: see individual items for usage.</p>
876 6545 	<p>Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners (1 per package) - one lamp required for simplex; two lamps required for duplex Usage: approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.</p>
132 9812 	<p>Green Imaging Element for 7000/5000/3000 (2 lamps per package) Usage: approximately 300 hours per lamp.</p>
126 0884 	<p>Red Imaging Element for 7000/5000/3000 (2 lamps per package) Usage: approximately 300 hours per lamp.</p>
806 6318 	<p>Kodak Digital Science Front/Rear Imaging Guide / for Scanner 3520/3510/3500 Usage: replace as required because of damage and/or scratches.</p>
127 1436 	<p>Kodak Calibration Target (5 targets per package) 12- x 12-inch Usage: see usage guidelines on page 1.</p>

Feed Module and Separation Roller Guidelines for the 3000 and 4000 Series Scanners Consumable Kits

The following table provides a guideline of how often to change the feed module, separation roller and tires. Extra tires are provided in the event one is damaged when replacing tires.


- **Feed Module and Separation Roller Tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 250,0000 documents, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed Module and Separation Roller:** it is recommended that you install a new feed module and separation roller approximately every 4th tire change. Install a new feed module and separation roller at the same time.

NOTE: Replacement tires are used on the feed module and separation roller.

Description	Feed Module 250 Kit	Separation Roller Kit	Extra Large Feed Module 250 Kit	Extra Large Separation Roller Kit
	CAT No. 108 5992	CAT No. 828 0604	CAT No. 106 8493	CAT No. 139 7785
Feed Modules (4 tires)	1	0	5	0
Separation Module (2 tires)	0	1	0	5
Pre-Separation Pads	0	0	0	0
Replacement Tires	18	10	90	50
Expected scans / kit	1,250,000	1,250,000	6,250,000	6,250,000




Kodak Digital Science Scanner 2500

CAT No.	Description
177 5485 	Kodak Digital Science Roller Exchange Kit / for Scanner 2500D Includes: feed roller assembly, retard roller, 1 package of 3 roller cleaning pads Usage: replacement at approximately 300,000 pages.





Kodak Digital Science Scanner 1500

CAT No.	Description
191 2427 	Kodak Digital Science Roller Exchange Kit / for Scanner 1500 Includes: dual feed roller, single separator roller, retard roller, 1 package of 3 roller cleaning pads Usage: replacement at approximately 300,000 pages.



Kodak i50/i55/i60/i65/i80 Scanners

CAT No.	Description
162 3362 	Kodak Feed Module for Scanners i50/i55/i60/i65/i80 Includes: 4 snap-in feed modules Usage: replace the snap-in feed module approximately every 100,000 pages.
154 4303 	Kodak i55/i65 Feed Roller Kit (for Kodak i55/i65 Scanners only) Includes: 1 feed roller Usage: replace when the paper roller is worn.

Module/Separation Roller Guidelines for the i600/i700/i1800/i4000/i5000 Series Scanners Consumable Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged during replacement.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 500,000 pages; results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change each time you change the feed module, separation roller or change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller (unless using the *Kodak* Feeder Kit for Ultra-Lightweight Paper).

Description	Feeder Consumables Kit	Extra Large Feeder Consumables Kit	Extra Extra Large Feeder Consumables Kit	Feeder Kit for Ultra-lightweight Paper
	CAT No. 108 4755 / 832 7538	CAT No. 842 6157 / 838 7938	CAT No.134 3680/ 146 2415	CAT No. 896 5279/ 844 5280
Feed Modules (4 tires)	1	5	10	1
Separation Rollers (2 tires)	1	5	10	1
Pre-Separation Pads	18	76	154	4
Replacement Tires	50	200	400	N/A
Replacement Tires for Feed Module	N/A	N/A	N/A	17
Replacement Tires for Separation Roller	N/A	N/A	N/A	10
Expected scans / kit	3,500,000	17,500,000	38,500,000	2,400,000

Kodak

